

0 601 9H5 0F0 – GSR 18V-50

Material number	0 601 9H5 0F0
EAN	4059952576220
2 x battery GBA 18V 2.0Ah 1 600 A00 1CG	✓
L-CASE	✓
Quick charger GAL 18V-40 Professional 1 600 A01 9RM	✓




Technical data

Description

Long version part 1 (BE)

The powerful GSR 18V-50 cordless drill driver offers durability on tough jobs when drilling and screwdriving in wood and metal. Its intelligent brushless motor communicates directly with the tool's electronics, ensuring working efficiency and a long lifetime. The drill driver's metal chuck and ergonomic design make the tool compact and robust for easy use on heavy-duty jobs. It is compatible with all Bosch Professional 18 V batteries (Flexible Power System) for convenience on even the toughest projects, from start to finish.

Tool dimensions (width)	63 mm
Tool dimensions (length)	181 mm
Tool dimensions (height)	229 mm
Battery voltage	18.0 V
Torque (max)	50 Nm
Noise level	The A-rated noise level of the power tool is typically as follows: Sound pressure level 88 dB(A); Sound power level 99 dB(A). Uncertainty K= 5 dB.



Technical data

Torque (soft/hard/max.)	28/50/50 Nm
No-load speed (1st gear / 2nd gear)	0 – 460 / 0 – 1,800 rpm
Battery type	Lithium-ion
Chuck capacity, min./max.	1.5 / 13 mm
Weight excl. battery	1 kg
Torque settings	20+1

Drilling diameter

Max. drilling diameter in aluminium	13 mm
Max. drilling diameter in wood	35 mm
Max. drilling diameter in steel	13 mm

Screw diameter

Max. screw diameter	10 mm
---------------------	-------

Noise/vibration information

Sound pressure level	88 dB(A)
Sound power level	99 dB(A)
Uncertainty K	5 dB

Sales information

Positioning

- Robust brushless motor for durability

User benefit

- Intelligent brushless motor for efficiency, endurance, and compactness
- Robust metal chuck and compact ergonomic design ideal for heavy-duty jobs
- Professional 18V System works with Bosch batteries and chargers of the same voltage